

ITGM 315 – Coding Standards

All code written for this class whether in class or for an assignment must conform to this document. This is a living document and may be updated as needed throughout the course.

1. Variable and Function Names

- a. All multiple word names must have each successive word start with a capital letter – example: “localVariable”
- b. Names should avoid abbreviations – example: use “transformMatrix” rather than “tm”
- c. Variable names should begin with a lower case character – example: “localVariable”
- d. Function names should begin with a lower case letter – example: “myFunction”
- e. Class names should start with an upper case letter – example: “MyClass”
- f. Class member variables should begin with a lower case ‘m’ – example: “mHitPoints”
- g. Constants and Enums should be in all upper case with underscores separating words – example: “PI” or “MAX_SCORE”
- h. Global functions and variables should be avoided. However, if used they should be prefaced with a lower case ‘g’ – example: “gCurrentScore”
- i. Pointers should be prefaced with a lower case ‘p’ and references should be prefaced with a lower case ‘r’ – examples: “pUnit”, “ppUnit”, “rUnit”

2. Magic Numbers

- a. **Do not use numbers directly in your code.** Instead use a const variable.

For instance:

```
if ( xp > 100 )  
{  
}
```

//is much less understandable than:

```
const int XP_LEVEL2 = 100;  
if ( xp > XP_LEVEL_2 )  
{  
}
```

- b. Strings can be considered Magic Numbers as well:

```
if ( name == "Burt" )  
{  
}
```

//is much less understandable than:

```
const string MONSTER_NAME = "Burt";  
if ( name == MONSTER_NAME )  
{  
}
```


3. Code formatting

- a. **Matching braces should line up** – example:

```
if ( localVariable == 3 )
{
    // code inside should be indented
}
else
{
    // code inside should be indented
    // this makes it easy to visually match braces
}
```

DO NOT USE:

```
if ( localVariable == 3 ){
// code
}
else {
}
```



- b. Tabs should be 4 spaces.
c. Use **White space** to make code more readable - example:


```
while ( maxHitPoints > 0 )
{
    if ( x == 1 )
    {
        RotateObject();
        InvertObject();

        maxHitspoints++;
    }
    else
    {
        maxHitPoints--;
    }

    RedrawScreen();
}
```

DO NOT USE:

```
while(maxHitPoints>0)
{
    if(x==1)
    {
        RotateObject();
        InvertObject();
        maxHitspoints++;
    }
    else
```



```

        {
            maxHitPoints--;
        }
        RedrawScreen();
    }

```

Also when using a do-while loop please be sure to put space after the curly brace:

```

do
{
    // a bunch of code here
} while ( some condition );

```



d. It is legal in C++ to not use curly braces at all if there is only a single command following an if, else, while or for. **Use them anyway.** That way, if you later want to add a command, you do not have to remember to add curly braces too.

4. Commenting

Proper use of // or /* symbols for comments are fine.

- a. **Each function (including main()) should contain a comment block** explaining the purpose of the function, describing the input parameters and any output. Using Example:

```

/*
    GetNumTemples - function to return the number of
    temples owned by a particular god

    Parameters:
        inGodNum - index of the god

    Return:
        int - the number of temples owned by the passed
        in god
*/
int GetNumTemples( int32 inGodNum )...

```

- b. If a function uses a particularly confusing algorithm then it should be described in the function header comment block

```

/*
    CalcDerivedData - function to calculate the data derived
    from the passed in Unit

    Parameters:
        unit - a reference to the unit to derive data for

    Return:
        Data - a new Data class containing all derived data

    This function uses the following algorithm to calc data:
    1) Get the birthdate of the unit

```

```
2) Multiply birthdate by the current number of hit points
3) Divide by PI to adjust for rounding errors
*/
Data CalcDerivedData( Unit& unit )...
```


- c. Comment lines in the function where something might be less than obvious to the code reader.

```
// temp will be used to assist in switching the
// values of x and y
int temp = x;
x = y;
y = temp;
```

- d. Do not use comments to restate the code.

DO NOT do this:

```
int currentHitPoints = 0; //set currentHitPoints to 0
currentHitPoints++; //increment the currentHitPoints
currentHitPoints /= 2; //divide the currentHitPoints by 2
```



- e. For code blocks that are long enough that they do not fit on a single screen and force the reader to scroll, add an end-of-line comment following the final curly brace, denoting what code block it is closing:

```
for ( int i = 0; i <= n ; i++ )
{

    // assume there is a lot of code here

} // end for i
```